

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ELEMENT MATERIALS TECHNOLOGY CHICAGO

194 Internationale Boulevard Glendale Heights, IL 60139

Arvid Casler Phone: 630 221 0385 x76243 E-mail: arvid.casler@element.com

MECHANICAL

Valid to: June 30, 2022 Certificate Number: 0104.02

In recognition of the successful completion of the A2LA evaluation process (including compliance to R223 – Specific Requirements – GE Aviation S-400 Accreditation Program), accreditation is granted to this laboratory to perform failure analysis and the following tests on the following products: <u>forgings</u>; <u>castings</u>; <u>powder metal</u>; <u>threaded fasteners</u>; <u>sheets</u>; <u>weldments of materials including aluminum and aluminum alloys</u>, <u>copper and copper alloys</u>; <u>carbon steel</u>; <u>low alloy steel</u>; <u>silicon electric steel</u>; <u>stainless steel</u>; <u>cemented carbides</u>; <u>ingot iron</u>; <u>wrought iron</u>; <u>cast iron</u>; <u>titanium</u>; <u>lead and tin solders</u>; <u>magnesium</u>; <u>tool steels</u>; <u>zinc base for the automotive</u>, <u>railroad</u>, <u>aerospace</u>, <u>nuclear</u>, <u>medical</u>, <u>agricultural</u>, <u>electronic</u>, <u>power generation</u>, tool and die, consumer and construction industries.

<u>Test Method(s)</u>

Metals

Adhesion ASTM A123/A123M, B571 (Methods 5, 11, 13), D3359

Bend Test ASME (Section IX); ASTM A370, E190, E290;

BS EN 910 (2000)¹; BS EN ISO 5173

Coating Thickness ASTM B748

Corrosion Tests

 Salt Spray
 ASTM B117, B537; NASM 1312-1

 Humidity
 ASTM D1735, D2247; NASM 1312-3

 Intergranular Corrosion
 ASTM A262, A763, G28, G46, G48

Eddy Current Conductivity Measurement ASTM E1004

Fastener Proof Load ASTM A370, F606/F606M; SAE J1216

(400,000 lbs Max Capacity) (Internal and External Threads and Cone Method)

Fastener Axial Tensile & Wedge Tensile ASTM F606/F606M

(A2LA Cert. No. 0104.02) Revised 06/16/2021

Page 1 of 3

Test Test Method(s)

Metals Continued

Fillet Fracture Test AWS B2.1/B2.1M, D1.1/D1.1M, D1.3/D1.3M,

D14.1/14.1M; ASME (Section IX);

MIL-STD 1595 (1998)¹

Hardenability ASTM A255

Hardness

Rockwell (A, B, C, E, F, 15N, 30N, 45N, ASTM A370, A623, B294, E18, F606/606M;

15T, 30T, 45T) NASM 1312-6 Brinell (500 and 3000) kgf ASTM A370, E10

Microhardness – Knoop and Vickers ASTM E384; NASM 1312-6

(25 to 1000) gf

Macrohardness - Vickers (5 and 10) kgf ASTM E92

Heat Treat (Raw Material) AMS 2750E

Impact Testing (Charpy and Izod) ASTM A370, E23; BS EN ISO 148-1;

(-320 to 450) °F BS EN 10045-1 (2001)¹

Metallographic Evaluation

Alpha Case ASTM F136; SOP 02-11-S007 Case Depth ASTM F2328; SAE J423

Delta Ferrite Determination AMS 2315

Depth of Decarburization ASTM E1077; SAE J121 (2013)¹, J419, F2328 Discontinuities (Surface) ASTM F788, F812; ISO 6157; SAE J122,

J123 (2012)¹, J1061

Grain Size ASTM E112, E930, E1181

Inclusions in Steel ASTM E45 (Methods A&D), E1245; SAE J422 Macroetch ASTM A561, A604/A604M, E381, E340;

ASME (Section IX)

Microetch ASTM E407

Microstructure Evaluation ASTM A247, A892, E1268; ASM Metals HBK, Vol. 9

ASTM B873

Plating Thickness ASTM B487 Preparation ASTM E3

Volume Fraction by Point Count ASTM E562, A800/A800M

Passivation Testing ASTM A380/A380M, A967/A967M, F1089

Pee1 ASME (Section IX)

Powder Characterization

Apparent Density (Carney) **ASTM B417** Apparent Density (Hall) **ASTM B212** Apparent Density (Scott) ASTM B329 Carney Flow Rate **ASTM B964** Flow Rate (Hall) ASTM B213 Metal Powder Sampling **ASTM B215** Particle Size Distribution by Sieve ASTM B214 Tap Density **ASTM B527** Volume of Apparent Density

(A2LA Cert. No. 0104.02) Revised 06/16/2021

Page 2 of 3

Test Method(s)

Metals Continued

SEM/EDS ASTM B748, E1508

Shear - Single ASTM F606/F606M

Shear – Double ASTM B769; NASM 1312-13

Stress Rupture ASTM E139, E292

Surface Roughness ASME B46.1

Tension ASTM A48/A48M, A370, B557, E8, F606/606M;

BS EN 10002-1 (2000)¹; BS EN ISO 6892-1;

NASM 1312-8

n-Value (Strain Hardening Exponent) ASTM E646

R-Value (Plastic Strain Ratio) ASTM E517

Tension – Elevated Temperature ASTM E21; BS EN 10002-5 (2000)¹;

BS EN ISO 6892-2; NASM 1312-18

Fracture Toughness (K, J and CTOD) ASTM E399, E1290; BS 7448-1 (1999)¹, 7448-2

 $(2010)^1$, 7448-4

Torque ASME B18.16.6; IFI 100/107, 125; SAE J174

Water Immersion ASTM D870

Weld Procedure and Welder Qualification (Visual, Mechanical and Metallographic) ASME (Section IX); AWS B2.1, D1.1/D1.1M, D1.2/D1.2M, D1.3/D1.3M, D1.5/D1.5M,

D1.2/D1.2M, D1.3/D1.3M, D1.5/D1.5M, D14.1/D14.1M, D15.1/D15.1M, D17.1/D17.1M,

D17.2/D17.2M; AMS W6858, 1595(2002)¹; API 1104, 5L; BS EN 1321(2013)¹, 288-3(2004)¹; BS EN ISO 5817, 15614-1, 15620; MIL-STD-1595(1998)¹

Failure Analysis Using ASM Handbook Vol 11 and the methods listed on

scopes.

¹ This laboratory's scope contains withdrawn or superseded methods. As a clarifier, this indicates that the applicable method itself has been withdrawn or is now considered "historical" and not that the laboratory's accreditation for the method has been withdrawn.

Page 3



Accredited Laboratory

A2LA has accredited

ELEMENT MATERIALS TECHNOLOGY CHICAGO

Glendale Heights, IL

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories. This laboratory also meets the requirements of R223 – Specific Requirements – GE Aviation S-400 Accreditation Program. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SEAL 1978 SEAL 1978

Presented this 31st day of July 2020.

Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 0104.02
Valid to June 30, 2022