



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ELEMENT MATERIALS TECHNOLOGY MINNEAPOLIS – BROOKLYN PARK

9349 W. Broadway Ave.
Brooklyn Park, MN 55445
Ms. Renee Walker Phone: 503 844 4066
Renee.walker@element.com

ELECTRICAL

Valid To: June 30, 2025

Certificate Number: 3310.05

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the organization's compliance with A2LA's FDA ASCA Accreditation Program³ requirements) accreditation is granted to this laboratory to perform the following EMC, Product Safety, Radio, and Telecommunication tests on IT/Multimedia Equipment, Audio Equipment, Industrial Equipment, Radio Equipment, and Cellular Devices:

Test Technology:

Test Method(s) ^{1,2,3}:

Emissions

Conducted and Radiated
U.S. / Canada

CFR 47, FCC Part 15, Subpart B (using ANSI C63.4-2014);
47 CFR FCC Part 18 (using FCC MP-5:1986);
ICES-001 (Issue 5, July 2020);
ICES-002 (Issue 7, September 2020);
ICES-003 (Issue 7, October 2020);
ICES-004 (Issue 5, October, 2022);
ICES-005 (Issue 5, December 2018);
ICES-006 (Issue 3, July 2018)

International

IEC/CISPR 11 Ed. 6.0 (2015) +A1 (2016);
CISPR 11 Ed. 6.2 (2019);
IEC/CISPR 11, Ed. 4.1 (2004-06) +A2 (2006);
IEC/CISPR 11 Ed. 5 (2009-05) +A1 (2010);
CISPR 12 (2007) + A1 (2009);
IEC/CISPR 14-1, Ed. 5.0 (2005) +A1 (2008) +A2 (2011) +(2016);
CISPR 14-1:2020; CISPR 14-1 (2005) + A1 (2008) + A2 (2011);
CISPR 14-1 (2016);
IEC/CISPR 15 (2018); CISPR 15 (2009);
IEC/CISPR 22 Ed. 5 (2005) +A1(2005) +A2 (2006);
IEC/CISPR 22 Ed. 6.0 (2008-09);
CISPR 32, Ed. 2.1 (2015) + A1(2019);
CISPR 32, Ed. 1 (2012-01);
CISPR 16-2-1:2014; CISPR 16-2-1:2014+A1:2017;
CISPR 16-2-2:2010; CISPR 16-2-3:2016; CISPR 16-2-3:2019

Test Technology:**Test Method(s)^{1,2,3:}***Europe*

EN 55011 (2009) + A1(2010);
EN 55011:2016 +A1:2017 +A2:2021;
EN 55011:2016 +A1:2017 +A11:2020 +A2:2021;
EN 55012;
EN 55013 (2001) + A1(2003) +A2(2006) + (2013);
BS EN 55013 (2013) +A1(2016);
EN 55014-1 (2006) + A1(2009) +A2(2011);
EN 55014-1:2017+A11:2020;
EN/IEC 55014-1:2021;
EN 55015 (2006) + A2(2009) + (2013); EN/IEC 55015:2020;
EN 55103-1 (2009) + A1(2012);
EN 55022 (1998) +A1(2000) +A2(2003) +(2006) +A1(2007) +
(2010);
EN 55032:2015+AC:2016-07+A11:2020+A1:2020;
EN 55032:2015 +A1:2019

Australia / New Zealand

AS/NZS CISPR 32 (2013) + (2015);
AS/NZS CISPR 32:2015 AMD 1:2020;
AS/NZS CISPR 22 (2009) +A1(2010) + (2006);
AS CISPR 11 (2017); AS/NZS CISPR 11 (2011);
AS CISPR 11 (2017);
AS/NZS CISPR 11 (2011);
AS/NZS CISPR 12 (2013)

Israel

SI 961 Part 32 (2016); SI 961 Part 24; SI 961 part 6.2

Japan

VCCI-CISPR 32 (2016); VCCI V-3 (2015.4); VCCI V-3:2016

Korea

KS C 9811; KS C 9814-1;
KS C 9832; KS C 9816-2-1;
KS C 9816-2-2; KS C 9816-2-3; KS C 9995

South Africa

SANS 211, Ed. 4.1 (2010); SANS 213, Ed. 4 (2011);
SANS 214-1, Ed. 3.1 + CISPR-A2 (2009);
SANS 215, Ed. 4.2 (2009); SANS 222, Ed. 6 (2009);
SANS 2332, Ed. 1 (2017)

Vietnam

QCVN 118 (2018): BTTTT; TCVN 7189:2009 (CISPR 22:2006)

Taiwan

CNS 13439 (2004); CNS 13439 (2006);
CNS 15936:2016

Harmonic Current Emissions

IEC 61000-3-2; EN 61000-3-2;
KS C 9610-3-2; SANS 61000-3-2, Ed. 3.2 (2009);
IEC 61000-3-11 (2017)

Voltage Fluctuations and Flicker

IEC 61000-3-3; EN 61000-3-3;
KS C 9610-3-3; SANS 61000-3-3, Ed. 2 (2009);
IEC 61000-3-12 Ed. 2.0 (2011); EN 61000-3-12 (2011)

Test Technology:**Test Method(s)^{1,2,3}:****Immunity**

Electrostatic Discharge (ESD)	IEC 61000-4-2; EN 61000-4-2; IEC 61000-4-2, Ed. 2.0 (2008-12); KS C 9610-4-2; SANS 61000-4-2, Ed. 2 (2009)
Radiated Immunity	IEC 61004-3; EN 61000-4-3; EN 61000-4-3 (2006) +A1 (2008) +A2 (2010); KS C 9610-4-3; SANS 61000-4-3, Ed. 3.1 (2008)
Electrical Fast Transient/Burst (EFT)	IEC 61000-4-4; EN 61000-4-4; IEC 61000-4-4 (2012-04) + Ed. 2.0 (2004-07) +A1 (2010); KS C 9610-4-4; SANS 61000-4-4, Ed. 2.1 (2011)
Surge	IEC 61000-4-5; EN 61000-4-5; IEC 61000-4-5 Ed. 3.1 (2017); IEC 61000-4-5 Ed. 3.0 (May 2014); IEC 61000-4-5 Ed. 1.1 (2005-11); EN 61000-4-5 (2014) +A1(2017); KS C 9610-4-5; SANS 61000-4-5, Ed. 2 (2006)
Conducted Immunity	IEC 61000-4-6; EN 61000-4-6; IEC 61000-4-6 Ed. 4.0 (2013); IEC 61000-4-6, Ed. 4 (2008); KS C 9610-4-6; SANS 61000-4-6, Ed. 4 (2017)
Magnetic Field	IEC 61000-4-8; EN 61000-4-8; IEC 61000-4-8, Ed. 1.1 (2001); IEC 61000-4-8 (2009); KS C 9610-4-8; SANS 61000-4-8, Ed. 2 (2009)
Pulsed Magnetic Field	IEC 61000-4-9; EN 61000-4-9; BS EN 61000-4-9 (2016); SANS 61000-4-9, Ed. 1.1 (2003); IEC 61000-4-9 (2016); KS C 9610-4-9
Damped Oscillatory Magnetic Field	IEC 61000-4-10; EN 61000-4-10; IEC 61000-4-10 (2016); SANS 61000-4-10, Ed. 1.1 (2003)
Voltage Dips, Short Interruptions and Voltage Variations	IEC 61000-4-11; EN 61000-4-11; IEC 61000-4-11, Ed. 2.1 (2017); EN 61000-4-11 (2004) +A1 (2017); IEC 61000-4-11, Ed. 2 (2004-03); SANS 61000-4-11, Ed. 1 (2005); KS C 9610-4-11
Mains Harmonics and Interharmonics	IEC 61000-4-13; EN 61000-4-13; SANS 61000-4-13, Ed. 1.1 (2009)
Mains Voltage Fluctuations	IEC 61000-4-14; EN 61000-4-14; IEC 61000-4-14:1999 + AMD1:2001 + AMD2:2009; SANS 61000-4-14, Ed. 1.2 (2009)

Test Technology:**Test Method(s)^{1,2,3:}**

Conducted Common Mode Disturbances	IEC 61000-4-16; EN 61000-4-16; IEC 61000-4-16 Ed. 2.0 (2015); BS EN 61000-4-16 (2016); SANS 61000-4-16, Ed. 1.2 (2011)
DC Ripple Input Power	IEC 61000-4-17; EN 61000-4-17; EN 61000-4-17:1999+A2:2009; IEC 61000-4-17 Ed. 1.2 (2009)
Variation of Power Frequency	IEC 61000-4-28; EN 61000-4-28; IEC 61000-4-28 (1999) + A1 (2001) + A2 (2009); SANS 61000-4-28, Ed. 2.1 (2009)
Voltage Dips, Short Interruptions and Voltage Variations on DC Input Power Port	IEC 61000-4-29; EN 61000-4-29; IEC 61000-4-29 (2000); SANS 61000-4-29, Ed. 1 (2005)
Radiated Fields in Close Proximity	IEC 61000-4-39; EN 61000-4-39; IEC 61000-4-39 (2017)
Generic / Product Family / Product Specific Standards	IEC 61000-6-1 (2016); IEC 61000-6-1, Ed. 2 (2005-03); EN 61000-6-1 (2007); KS C 9610-6-1; EN 61000-6-2 (2016); EN 61000-6-2 (2005) + AC (2005); IEC 61000-6-2 (2016); EN IEC 61000-6-2 (2019); IEC 61000-6-2, Ed. 2.0 (2005-01); EN 61000-6-2 (2005); EN 61000-6-3 (2007) + A1 (2011) + AC (2012); EN 61000-6-4 (2007) + A1 (2011); IEC 61000-6-3 (2020); IEC 61000-6-4 (2018); KS C 9610-6-2; KS C 9610-6-3; KS C 9610-6-4 KS C 9990; IEC 61326-2-6 Ed. 2.0 (2012); IEC 61326-3-1 (2008) + (2017); EN IEC 61326-2-6:2021; EN 61326-2-1 (2013); IEC 61326-2-1 (2020); EN IEC 61326-2-1:2021; TCVN 7317:2003 (CISPR 24:1997); AIM 7351731 (2017); AIM 7351731-2021; IEC CISPR 14-2:2020; IEC/CISPR 14-2 Ed. 2. (2015); IEC/CISPR 14-2 Ed. 1.2 (2008); EN 55024 (1998) + A1(2001), A2(2003), (2010); CISPR 35 (2016); EN 55035 (2020); KS C 9814-2; KS C 9835; SANS 60601-1-2, Ed. 4 (2018); IEC 60601-1-2, Ed. 4, (2014-02); IEC 60601-1-2, Ed. 2.1 (2004-11); IEC 60601-1-2, Ed. 3.0 (2007); IEC 60601-1-2 Ed. 4.0 (2014); IEC 60601-1-2, Ed. 4.0 (2014) + A1 (2020); KS C IEC 60601-1-2; EN 60601-1-2 (2002); EN 60601-1-2 (2007) EN 60601-1-2 (2015); EN 60601-1-2:2015 +A1:2021; EN 60945 (2002); IEC 60945 (2002); GR-1089-CORE, Issue 7; IEC 61000-6-7 (2014);

Test Technology:**Test Method(s)^{1,2,3:}****Generic / Product Family /
Product Specific Standards***(continued)*

EN 50293:2012; EN 50270:2015;
IEC 61131-2 (2017) Sec. 7.3;
EN 61326-1 (2013); IEC 61326-1 (2020);
IEC 61000-6-8 (2020);
EN 61131-6 (2013); IEC 61131-6 (2012);
Lloyd's Register - LR Type;
Approval System Test Specification 1 (2013, 2015);
EN 50130-4 (2011) +A1 (2014); EN 55014-2 (1997);
EN 55014-2 (1997) +A1 (2001) +A2 (2008);
IEC 60730-1 Ed. 4.0 (2010) +(2013); EN 60730-1 (2011);
IEC 62040-1-2 (2002); EN 12895:2015+A1:2019

Medical Devices
(EMC testing only)

ISO 14708-4:2008; ISO 14708-4:2022 Clause 27;
IEC 60601-2-2 (2017);
EN 60601-2-24 (1998);
IEC 60601-2-25 Ed. 2.0, (2011-10), Clause 202;
IEC 60601-2-26 (2003); EN 60601-2-26 (2003);
IEC 60601-2-26 Ed. 2.0 (2002-11);
IEC 60601-2-26 Ed. 3.0 (2012-05);
IEC 60601-2-27:2005; EN 60601-2-27:2006;
IEC 60601-2-27 Ed. 3.0 (2011), Clause 202;
ISO 9919 Ed. 2.0 (2005), Clause 36;
EN 4502-2-2 (2008); EN 45502-2-3 (2010);
ISO 14117 (2012) Sec. 4; ISO 14117 (2019);
ISO 14708-3 (2008); ISO 14708-3 (2017);
EN 45502-2-1 (2003)

Automotive EMC

Radio Disturbance

CISPR 12; EN 55012; AS/NZS CISPR 12 (2013);
CISPR 12 (2007) + A1 (2009)

Product Safety

MED
*(excluding Risk Assessment,
Defibrillation Protection, Cathode
Ray Tube, Hand-transmitted
Vibration, Pressure Vessels, X-
radiation, Ingress of Water or
Particulate Matter, IP Testing, and
Protection against Hazards of
Ignition of Flammable Anesthetic
Mixtures)*

IEC 60601-1:2005 + A1 (2012); IEC 60601-1; EN 60601-1;
ANSI/AAMI ES60601-1;
NSI/AAMI ES60601-1 (2005) + A1(2012) + A2:2010);
CAN/CSA-C22.2 NO. 60601-1:2014;
CAN/CSA-C22.2 NO. 60601-1;
IEC 60601-1-6; EN 60601-1-6;
IEC 60601-2-10; EN 60601-2-10;
IEC 60601-2-24; EN 60601-2-24; EN 60601-2-24;
IEC 60601-2-27 Edition 3.0 2011-03; IEC 60601-2-27:2005;
EN 60601-2-27:2006;
IEC 60601-2-30; EN 60601-2-30;
EN/IEC 60601-2-34 Edition 3.0 2011-05;
EN 60601-2-47 (2001); IEC 60601-2-47 Edition 2.0 2012-02;
IEC 60601-2-50, Ed. 2.1 (2016-04);
ISO 80601-2-61;
EN/IEC 80601-2-49 (2018)

Test Technology:

Test Method(s) ^{1,2,3}:

MEAS
(excluding Flammability Test, Ionizing Radiation, UV Radiation, Microwave Radiation, Ultrasonic Pressure, and IP Testing)

IEC 61010-1; EN 61010-1; UL 61010-1;
CAN/CSA-C22.2 No. 61010-1;
IEC 61010-2-101; EN 61010-2-101;
UL 61010-2-101; CAN/CSA-C22.2 No. 61010-2-101;
IEC 61010-2-010; EN 61010-2-010; UL 61010-2-010;
CAN/CSA-C22.2 No. 61010-2-010;
IEC 61010-2-030; EN 61010-2-030; UL 61010-2-030;
CAN/CSA-C22.2 No. 61010-2-030; IEC 61010-2-040;
EN 61010-2-040; UL 61010-2-040;
CAN/CSA-C22.2 No. 61010-2-040

HOUS
(excluding Transient Over Voltages, Resistance to Rusting, Radiation and similar Hazards, Software Evaluation, UV-C Radiation Effect on Non-Metallic Materials)

IEC 60335-1; EN 60335-1; IEC 60335-2-45 Ed. 3.2 (2012);
UL 60335-1; CAN/CSA-C22.2 No. 60335-1

ITAV
(excluding Cathode Ray Tube, Flammable Liquids, Ionizing Radiation, Effect of UV Radiation on Material, Test to Resistance on Fire, Flammability Test, Impulse Test, Mandrel Test and Operating Voltages Test)

IEC 62368-1:2014; EN 62368-1:2014; IEC 62368-1:2018;
IEC 62368-1; EN 62368-1; UL 62368-1;
EN 13611 (2015) + A1 (2016); EN 298 (2012);
EN 50156-1 (2015) + A1 (2016);
CAN/CSA-C22.2 No. 62368-1

Radio

US (FCC)

47 CFR FCC Part 15, Subpart C (using ANSI C63.10:2013);
47 CFR FCC Part 15, Subpart D (using ANSI C63.17:2013);
47 CFR FCC Part 15, Subpart E (using ANSI C63.10:2013 and
FCC KDB Publication 905462 D02 (v02));
47 CFR FCC Part 15, Subparts F/G/H (using ANSI C63.10:2013);
47 CFR FCC Parts 20, 22, 24, 25, 27, 73, 74, 80, 87, 90, 95, 96,
97, and 101 (using ANSI C63.26:2015 and TIA-102.CAAA-E, and
ANSI/TIA-603-E); ANSI C63.10:2020; ANSI C63.27:2017;
ANSI C63.27:2021

Canada (ISED)

RSS-111; RSS-117; RSS-119; RSS-123; RSS-130; RSS-131;
RSS-132; RSS-133; RSS-134; RSS-139; RSS-140; RSS-142;
RSS-170; RSS-181; RSS-182; RSS-192; RSS-194; RSS-195;
RSS-196; RSS-197; RSS-199; RSS-210; RSS-211; RSS-213;
RSS-216; RSS-220; RSS-222; RSS-236; RSS-238; RSS-243;
RSS-244; RSS-246; RSS-247; RSS-248; RSS-251; RSS-287;
RSS-310; RSS-GEN

Test Technology:

Europe
(excluding Protocol Testing)

Test Method(s) ^{1,2,3}:

ETSI EN 300 220-1 V3.1.1 (2017-02);
ETSI EN 300 220-1 V2.3.1 (2010-02);
ETSI EN 300 220-1 V2.4.1 (2012-05);
ETSI EN 300 220-2 V3.1.1 (2017-02);
ETSI EN 300 220-2 V3.2.1 (2018-06);
ETSI EN 300 220-3-1 V2.1.1 (2016-12);
ETSI EN 300 220-3-2 V1.1.1 (2017-02);
ETSI EN 300 220-4 V1.1.1 (2017-02);
ETSI EN 300 328 V2.1.1 (2016-11);
ETSI EN 300 328 V2.2.2 (2019-07);
ETSI EN 300 328 V1.9.1 (2015-02);
ETSI EN 300 328 V1.7.1 (2006-10);
ETSI EN 300 328 V1.8.1 (2012-06);
ETSI EN 300 330 V2.1.1 (2017-02);
ETSI EN 300 422-1 V2.1.1 (2016-09);
ETSI EN 300 422-1 V2.1.2 (2017-01);
ETSI EN 300 422-2 V2.1.1 (2017-02);
ETSI EN 300 422-3 V2.1.1 (2017-02);
ETSI EN 300 422-4 V2.1.1 (2017-05);
ETSI EN 300 440 V2.1.1 (2017-03);
ETSI EN 300 440 V2.2.1 (2018-07);
ETSI EN 301 166 V2.1.1 (2016-11);
ETSI EN 301 357 V2.1.1 (2017-06);
ETSI EN 301 502 V12.5.2 (2017-03);
ETSI EN 301 511 V12.5.1 (2017-03);
ETSI EN 301 511 V12.1.1 (2015-06);
ETSI EN 301 839 V2.1.1 (2016-04);
ETSI EN 301 893 V2.1.1 (2017-05);
ETSI EN 301 908-1 V6.2.1 (2013-04);
ETSI EN 301 908-1 V15.1.1 (2021-09)
ETSI EN 301 908-1 V15.2.1:2023-01;
ETSI EN 301 908-2 V11.1.2 (2017-08);
ETSI EN 301 908-2 V11.1.1 (2016-07);
ETSI EN 301 908-3 V11.1.3 (2017-04);
ETSI EN 301 908-11 V11.1.2 (2017-01);
ETSI EN 301 908-13 V11.1.1 (2016-07);
ETSI EN 301 908-13 V11.1.2 (2017-07);
ETSI EN 301 908-13 V13.2.1 (2022-02);
ETSI EN 301 908-14 V11.1.2 (2017-04);
ETSI EN 301 908-14 V13.1.1 (2019-09);
ETSI EN 301 908-14 V15.1.1 (2021-09);
ETSI EN 301 908-15 V11.1.2 (2017-01);
ETSI EN 301 908-15 V15.1.1 (2020-01);
ETSI EN 302 195 V2.1.1 (2016-06);
ETSI EN 302 208 V3.1.1 (2016-11);
ETSI EN 302 208 V3.3.1 (2020-05);
ETSI EN 302 537 V2.1.1 (2016-10);
ETSI EN 303 413 V1.1.1 (2017-06);
ETSI EN 303 413 V1.2.1 (2021-04);

Test Technology:

Europe
(excluding Protocol Testing)
(cont.)

Test Method(s)^{1,2,3:}

ETSI EN 303 417 V1.1.1 (2017-09);
ETSI EN 301 489-1 V2.1.1 (2017-02);
ETSI EN 301 489-1 V2.2.3 (2019-11);
ETSI EN 301 489-3 V2.1.1 (2019-03);
ETSI EN 301 489-3 V1.6.1 (2013-08);
ETSI EN 301 489-3 V2.3.2 (2023-01);
ETSI EN 301 489-5 V2.1.1 (2016-11);
ETSI EN 301 489-6 V2.1.1 (2016-11);
ETSI EN 301 489-6 V2.2.1 (2019-04);
ETSI EN 301 489-8 V1.2.1 (2002-08);
ETSI EN 301 489-9 V1.4.1 (2007-11);
ETSI EN 301 489-9 V2.1.1 (2019-04);
ETSI EN 301 489-17 V3.1.1 (2017-02);
ETSI EN 301 489-17 V3.2.4 (2020-09);
ETSI EN 301 489-17 V2.2.1 (2012-09);
ETSI EN 301 489-19 V2.1.1 (2019-04);
ETSI EN 301 489-19 v2.2.1 (2022-09);
ETSI EN 301 489-23 V1.5.1 (2011-11);
ETSI EN 301 489-24 V1.5.1 (2010-10);
ETSI EN 301 489-27 V2.1.1 (2016-12);
ETSI EN 301 489-27 V2.2.1 (2019-04);
ETSI EN 301 489-29 V2.1.1 (2016-12);
ETSI EN 301 489-29 V2.2.1 (2019-04);
ETSI EN 301 489-31 V2.1.1 (2016-11);
ETSI EN 301 489-31 V2.2.1 (2019-04);
ETSI EN 301 489-34 V2.1.1 (2019-04);
ETSI EN 301 489-35 V.2.1 (2016-12);
ETSI EN 301 489-50 V2.1.1 (2017-02);
ETSI EN 301 489-50 V1.2.1 (2013-03);
ETSI EN 301 489-50 V2.3.1 (2021-03);
ETSI EN 301 489-51 V2.1.1 (2019-04);
ETSI EN 301 489-52 V1.2.1 (2021-11);
ETSI EN 303 454 V1.1.1 (2018-01)

Test Technology:

Hong Kong

Test Method(s) ^{1,2,3}:

HKCA 1002, Issue 6 (January 2008);
HKCA 1007, Issue 5 (March 2012);
HKCA 1008, Issue 4 (November 2013);
HKCA 1010, Issue 1 (June 2003);
HKCA 1015, Issue 4 (February 2003);
HKCA 1020, Issue 7 (November 2011);
HKCA 1033, Issue 7 (March 2012);
HKCA 1034, Issue 3 (October 2009);
HKCA 1035, Issue 7 (May 2016);
HKCA 1039, Issue 6 (June 2015);
HKCA 1039, Issue 6 (June 2015);
HKCA 1039, Issue 5 (June 2013);
HKCA 1041, Issue 1 (February 2003);
HKCA 1042, Issue 2 (February 2003);
HKCA 1043, Issue 4 (June 2008);
HKCA 1044, Issue 1 (February 2003);
HKCA 1046, Issue 3 (September 2008);
HKCA 1048, Issue 2, (June 2008);
HKCA 1049, Issue 1 (April 2005);
HKCA 1050, Issue 1 (January 2006);
HKCA 1052, Issue 2 (September 2012);
HKCA 1052, Issue 4 (June 2022)

Korea

KS X 3123; KS X 3124; KS X 3125;
KS X 3126; KS X 3134;
Equipment to be Subject of Test Procedure for Electromagnetic Field Strength and Specific Absorption Rate (RRA Public Notification 2021-16, Oct 12, 2021);
RRA Public Notification 2019-32, Dec 31, 2019;
Technical Requirements for the Human Protection against Electromagnetic Waves (MSIT Public Notification 2019-4, Jan 16, 2019);
Technical Requirements for Measurement of Electromagnetic Field Strength (RRA Public Notification 2021-22, Nov 29, 2021);
Notice on Conformity Assessment of Broadcasting and Communications Equipment (RRA Public Notification 2023-3, Feb 3, 2023);
Unlicensed Radio Equipment Established Without Notice (MSIT Public Notification 2022-75, Dec 30, 2022);
Regulations on Radio Equipment (Ordinance of MSIT No. 86, Jan 4, 2022);
RRA Announce 2011-32, K only (Dec 27, 2011);
RRA Public Notification 2012-21 (Nov. 06, 2012);
RRA Announce 2013-33, (Jul 26, 2013), Korean only;
RRA Notice 2014-2, K only (Feb. 4, 2014);
RRA Announce 2014-90 (Dec. 23, 2014);
RRA Announce 2015-81 (Sep. 30, 2015), Korean only;
RRA Announce 2015-135 (Jan. 5, 2016);
RRA Notice 2017-7, Korean only (Aug. 4, 2017);

Test Technology:

Test Method(s)^{1,2,3:}

Korea (*cont.*)

RRA Public Notification 2015-23 (Nov. 18 2015);
RRA Public Notification 2017-8 (Aug. 28 2017);
RRA Public Notification 2011-24 (Dec. 23, 2011);
RRA Announce 2012-21, K only (Jun. 28, 2012);
RRA 2013-3 and 2013-24, June 17, 2013, Korean only;
RRA 2014-8 and RRA 2014-37 (June 23, 2014);
RRA Public Notification 2015-27 (Dec. 03 2015);
RRA Announce 2015-110 (Dec. 3, 2015);
RRA Public Notification 2016-26 (Dec.19 2016);
RRA Announce 2016-79 (Dec.19 2016);
RRA Public Notification 2017-19 (Dec. 28, 2017);
RRA Announce 2017-71 (Dec. 28, 2017);
Technical Requirements for Measurement of Electromagnetic Field Strength (RRA Public Notification 2021-22, Nov 29, 2021)

Australia / New Zealand

AS/NZS 4268 (2017);
AS/NZS 4268 (2012) + A1 (2013);
AS/NZS 4268:2017 + A1:2021;
Radiocommunications Equipment (General) Rules 2021 – Schedule 4 EME standard using measurement method AS/NZS 2772.2;
Radiocommunications Equipment (General) Rules 2021 – Schedule 5, Part 15, Short Range Equipment Standard using test method AS/NZS 4268

Taiwan

LP0002 (2020); IS2019 (2020); RTTE01 (2020)

Singapore

IDA TS CMT Issue 1 (June 2011);
IDA TS LMR Issue 1 Rev 5 (June 2014);
IDA TS LMR Issue 1 Rev 4 (June 2011);
IDA TS SRD Issue 1 Rev 2 (August 2021);
IDA TS SRD Issue 1 Rev 7 (April 2013);
IDA TS UWB Issue 1 Rev 1 (May 2011);
IDA TS WBA Issue 1 Rev 1 (May 2011);
IDA TS WBA Issue 1 Rev 2 (November 2012);
IMDA TS CMT (July 2017); IMDA TS CMT (September 2020);
IMDA TS LMR Issue 1 (October 2016);
IMDA TS SRD Issue 1 (October 2016);
IMDA TS UWB Issue 1 (October 2016);
IMDA TS WBA Issue 1 (October 2016);
IS 2019-0 (September 1998);
IMDA TS CMT Issue 1 Rev 2, Sept 2020

Vietnam

QCVN 11 (2010):BT TTTT; QCVN 12 (2015):BT TTTT;
QCVN 13 (2010):BT TTTT; QCVN 15 (2015):BT TTTT;
QCVN 16 (2018):BT TTTT; QCVN 18 (2022):BT TTTT;
QCVN 41 (2011):BT TTTT; QCVN 41 (2016):BT TTTT;
QCVN 42 (2011):BT TTTT; QCVN 54 (2020):BT TTTT;
QCVN 55 (2011):BT TTTT; QCVN 65 (2013):BT TTTT;
QCVN 73 (2013):BT TTTT; QCVN 74 (2020):BT TTTT;

Test Technology:**Test Method(s)**^{1,2,3}:

Vietnam (cont.)

QCVN 75 (2013):BTTTT; QCVN 76 (2013):BTTTT;
QCVN 88 (2015):BTTTT; QCVN 91 (2015):BTTTT;
QCVN 94 (2015):BTTTT; QCVN 95 (2015):BTTTT;
QCVN 96 (2015):BTTTT; QCVN 99 (2015):BTTTT;
QCVN 103 (2016):BTTTT; QCVN 110 (2017):BTTTT;
QCVN 111 (2017):BTTTT; QCVN 112 (2017):BTTTT;
QCVN 117 (2020):BTTTT; QCVN 118 (2018):BTTTT**Telecommunication**EN 300 386 V1.6.1:2016; EN 300 386 V2.2.0:2020;
AS/CA S042.4 (2011);
AS/CA S042.4:2022; AS/CA S042.5:2022**RF Exposure***(excluding SAR and HAC)*RSS-102 Measurement (RF Exposure, NS);
SPR-002;
IEEE Std. C95.1 (2005) +A1 (2010);
IEEE Std. C95.3 (2002); IEEE Std C95.3:2021;
EN 50364 (2018) + (2010); EN 50383 (2010); EN 50566 (2017);
EN 50663 (2017); EN 62233 (2008); EN IEC 62311 (2020);
EN 62311 (2008); EN 62369-1 (2009); EN 62479 (2010-12);
OET Bulletin 65, Edition 97-01;
AS/NZS 2772.2:2016/Amdt 1:2018;
ARPANSA RPS S-1 Rev 1;
AS/NZS 2772.2:2016 +A1:2018**RF Performance Measurements**Over-the-Air Performance (OTA)
(Free Space only, up to 3 GHz)

CTIA Test Plan for Wireless Device Over-the-Air v3.8.2

¹ When the date, revision or edition of a test method standard is not identified on the scope of accreditation, the laboratory is expected to be using the current version within one year of the date of publication, per part C., Section 1 of A2LA R101 - General Requirements - Accreditation of ISO-IEC 17025 Laboratories.

² ANSI C63.4a:2017 is used to perform NSA in support of ANSI C63.4:2014 and should not be considered its own test method.

³ The laboratory is only accredited for testing activities outlined within the test methods listed above. Reference to any other activity within these standards, such as risk management or risk assessment, does not fall within the laboratory's accredited capabilities.

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1⁴:

Rule Subpart/Technology	Test Method(s)	Maximum Frequency (MHz)
<u>Unintentional Radiators</u> Part 15B	ANSI C63.4:2014	220000
<u>Industrial, Scientific, and Medical Equipment</u> Part 18	FCC MP-5:1986	220000
<u>Intentional Radiators</u> Part 15C	ANSI C63.10:2013	220000
<u>Unlicensed Personal Communication Systems Devices</u> Part 15D	ANSI C63.17:2013	220000
<u>U-NII without DFS Intentional Radiators</u> Part 15E	ANSI C63.10:2013	220000
<u>U-NII with DFS Intentional Radiators</u> Part 15E	FCC KDB 905462 D02 (v02)	220000
<u>UWB Intentional Radiators</u> Part 15F	ANSI C63.10:2013	220000
<u>BPL Intentional Radiators</u> Part 15G	ANSI C63.10:2013	220000
<u>White Space Device Intentional Radiators</u> Part 15H	ANSI C63.10:2013	220000
<u>Commercial Mobile Services (FCC Licensed Radio Service Equipment)</u> Parts 22 (cellular), 24, 25 (below 3 GHz), and 27	ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015	220000
<u>General Mobile Radio Services (FCC Licensed Radio Service Equipment)</u> Parts 22 (non-cellular), 90 (below 3 GHz), 95 (below 3 GHz), 97 (below 3 GHz), and 101 (below 3 GHz)	ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015	220000

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1⁴:

Rule Subpart/Technology	Test Method(s)	Maximum Frequency (MHz)
<u>Citizens Broadband Radio Services</u> (FCC Licensed Radio Service Equipment) Part 96	ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015	220000
<u>Maritime and Aviation Radio Services</u> Parts 80 and 87	ANSI/TIA-603-E; ANSI C63.26:2015	220000
<u>Broadcast Radio Services</u> Parts 73 and 74 (below 3 GHz)	ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015	220000
<u>Signal Boosters</u> Part 20 (Wideband Consumer Signal Boosters, Provider-specific Signal Boosters, and Industrial Signal Boosters), Section 90.219	ANSI C63.26:2015	220000

⁴Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (<https://apps.fcc.gov/oetcf/eas/>) for a listing of FCC approved laboratories.

Testing Activities performed under the scope of the U.S FDA ASCA Pilot Program Specifications: <i>Basic Safety and Essential Performance of Medical Electrical Equipment, Medical Electrical Systems, and Laboratory Medical Equipment – Standards Specific Information for the Accreditation Scheme for Conformity Assessment (ASCA) Pilot Program</i> published on September 25th, 2020, and in accordance with all requirements of A2LA R256 <i>Specific Requirements- FDA ASCA Program</i> ⁵ :	
<u>Standards:</u>	<u>Document Number:</u>
IEC 60601-1-2 Edition 4, 2014-02	19-8
IEC 60601-2-25 Edition 2.0, 2011-10	3-105
IEC 60601-2-27 Edition 3.0, 2011	3-126
IEC 60601-2-34, 2011	3-115
IEC 60601-2-47 Edition 2.0 2012-02	3-155
IEC 60601-2-50, Edition 2.1, 2016	6-387
IEC 80601-2-30, 2018	3-123
ISO 80601-2-55, 2018	1-140
ISO 80601-2-61 Second Edition 2017-12 (Corrected version 2018-02)	1-139

⁵ These methods have been assessed by A2LA according to A2LA's FDA ASCA Program requirements. Accreditation by A2LA does not imply FDA ASCA-Accreditation. All ASCA-accreditation decisions for testing laboratory applications are made solely by the FDA, a list of approved laboratories can be found at [FDA.gov](https://www.fda.gov).



Accredited Laboratory

A2LA has accredited

ELEMENT MATERIALS TECHNOLOGY MINNEAPOLIS – BROOKLYN PARK

Brooklyn Park, MN

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the A2LA – R256 – Specific Requirements – FDA ASCA Program. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated April 2017*).



Presented this 18th day of September 2023.

A blue ink signature of Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 3310.05
Valid to June 30, 2025

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.