



## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ELEMENT MATERIALS TECHNOLOGY BOXBOROUGH  
Massachusetts Facility  
1146 Massachusetts Avenue  
Boxborough, MA 01719  
Mr. Robert Lunnin      [robert.lunnin@element.com](mailto:robert.lunnin@element.com)

### ELECTRICAL

Valid to: September 30, 2027

Certificate Number: 0214.14

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following Electromagnetic Compatibility/Interference (EMC/EMI), Lightning Transients, Surges and Product Safety tests:

<u>Tests:</u>	<u>Test Method(s)</u> <sup>1</sup> :
<b>Emissions</b>	
Radiated/Conducted (3 m Semi Anechoic Chamber) (10m Semi Anechoic Chamber)	47 CFR, FCC Part 15B (using ANSI C63.4:2014); 47 CFR, FCC Part 18 (using MP-5:1986); ICES-003; CISPR 32 (excluding Annex H); EN 55032(excluding Annex H); KS C 9832 (excluding Annex H); CISPR 11; EN 55011; CISPR 14-1 (excluding disturbance power measurements and click measurements); EN 55014-1(excluding disturbance power measurements and click measurements); VCCI V-3 (up to 6 GHz); VCCI-CISPR 32:2016 (excluding Annex H); CNS 15936:2016 (up to 6 GHz); AS/NZ CISPR 32; MIL-STD-461 <sup>2</sup> C, D (Methods CE01, CE03, RE01, & RE02); MIL-STD-461 <sup>2</sup> E, F, & G (Methods CE101, CE102, CE106 [up to 18 GHz], RE101, & RE102); MIL-STD-462; MIL-STD-462D; RTCA/DO-160 <sup>2</sup> C, D, E, F, & G (Section 21); CISPR 25 (clauses 6.3, 6.4, 6.5 only); EN 55025 (clauses 6.3, 6.4, 6.5 only)
Current Harmonics	EN/IEC 61000-3-2
Voltage Fluctuations & Flicker	EN/IEC 61000-3-3

<u>Tests:</u>	<u>Test Method(s)</u> <sup>1:</sup>
<b>Immunity</b>	
Electrostatic Discharge (ESD)	IEC/EN 61000-4-2; KS C 9610-4-2; RTCA/DO-160 <sup>2</sup> D, E, F, & G (Section 25); MIL-STD-1686; MIL-STD-461G (CS118)
Radiated Immunity	IEC/EN 61000-4-3; KS C 9610-4-3; RTCA/DO-160 <sup>2</sup> C, D, E, F, & G (Section 20); MIL-STD-461 <sup>2</sup> C, D (Methods RS01, RS02, & RS03); MIL-STD-462; MIL-STD-462D; MIL-STD-461 <sup>2</sup> E, F, & G (Methods RS101 & RS103); MIL-HDBK-240; DoD-STD-1399 Section 70
Electrical Fast Transient/Burst	IEC/EN 61000-4-4; KS C 9610-4-4
Surge Immunity	EN/IEC 61000-4-5 (excluding 6.2); IEC/EN 61000-4-12; KS C 9610-4-12; RTCA/DO-160 <sup>2</sup> C, D, E, F & G (Sections 17, 19, & 22)
Conducted Immunity	IEC/EN 61000-4-39; IEC/EN 61000-4-6; KS C 9610-4-6; IEC/EN 61000-4-16; RTCA/DO-160 C, D & E (Sections 18 & 20); MIL-STD-461 <sup>2</sup> C, D (Methods CS01, CS02, & CS06); MIL-STD-462; MIL-STD-462D; MIL-STD-461 <sup>2</sup> E, F, & G (Methods CS101, CS106, CS109, CS114, CS115, CS116 & CS117)
Voltage Dips, Short Interruptions, & Line Voltage Variations	IEC/EN 61000-4-11; KS C 9610-4-11; EN/IEC 61000-4-29; IEC 61000-4-34:2005 + A1:2009
Power Quality	RTCA/DO-160 <sup>2</sup> C, D, E, F, & G (Section 16); MIL-STD-1399-300 <sup>2</sup> A & B; MIL-STD-704 <sup>2</sup> A, B, C, D, E, & F; MIL-STD-1275 B, C, & D; ATIS 0600315; ETSI/EN 300-132-2; ETSI/EN 300-132-3
<b>Generic/Product Family Standards &amp; Industry Standards</b>	IEC/EN 61000-6-1; KS C 9610-6-1; IEC/EN 61000-6-2; KS C 9610-6-2; IEC/EN 61000-6-3; IEC/EN 61000-6-4; IEC/EN 60601-1-2; IEC/EN 61326-1; GR-1089-CORE; ETSI EN 300 386 (excluding clause 12.4); ATT-TP-76200; CISPR 24; EN 55024

<b>Tests:</b>	<b>Test Method(s)<sup>1</sup>:</b>
<b>Generic/Product Family Standards &amp; Industry Standards</b>	CISPR 35 (excluding Annex A, B, C, D, E, F.4, G, H); EN 55035 (excluding Annex A, B, C, D, E, F.4, G, H); KS C 9835 (excluding Annex A, B, C, D, E, F.4, G, H)
<b>Acoustics</b>	
Acoustic Characteristics of Materials & Structures	CSA C22.2 No. 1010-1 (section 12.5); MIL-STD-740-2 <sup>2</sup> ; UL 61010A-1; ISO 7779
Sound Power/Sound Pressure	CSA C22.2 No. 1010-1 (section 12.5); GR-63-CORE; ETS 300 753; MIL-STD-740-1 <sup>2</sup> ; UL 61010A-1; ISO 7779

<sup>1</sup> When the date, edition, version, etc. is not identified in the scope of accreditation, laboratories may use the version that immediately precedes the current version for a period of one year from the date of publication of the standard test method, per Annex A, Part C of A2LA's *R101 - General Requirements: Accreditation of Conformity Assessment Bodies*.

<sup>2</sup> This laboratory performs field testing activities for these tests.

Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1		
Rule Subpart/Technology	Test Method	Maximum Frequency (MHz)
Unintentional Radiators		
Part 15B	ANSI C63.4:2014	40000
Industrial, Scientific, and Medical Equipment		
Part 18	FCC MP-5 (February 1986)	40000

Note: Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (<https://apps.fcc.gov/oetcf/eas/>) for a listing of FCC approved laboratories.



## Accredited Laboratory

A2LA has accredited

**ELEMENT MATERIALS TECHNOLOGY BOXBOROUGH**  
Boxborough, MA

for technical competence in the field of

### Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 11<sup>th</sup> day of November 2025.

A blue ink signature of the name "Mr. Trace McInturff" is written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services  
For the Accreditation Council  
Certificate Number 0214.14  
Valid to September 30, 2027

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.