



This certificate is granted and awarded by the authority of the Nadcap Management Council to:

Element Pilsen

*Podnikatelska 39
Plzen, 30100
Czech Republic*

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:

Materials Testing Laboratories

Certificate Number: 6114236175
Expiration Date: 30 November 2027
Accreditation Length: 18 Months

Jay Solomond
Executive Vice President & Chief Operating Officer

SCOPE OF ACCREDITATION

Materials Testing Laboratories

Element Pilsen
Podnikatelska 39
Plzen, 30100
Czech Republic

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7000 Rev A - AUDIT CRITERIA FOR NADCAP ACCREDITATION

AC7101/1 Rev H - Nadcap Audit Criteria for Materials Testing Laboratories – General Requirements for All Laboratories (to be used on audits on/AFTER 10-Dec-2023)

AC7101/2 Rev E - Nadcap Audit Criteria for Materials Testing Laboratories – Chemical Analysis (to be used on audits on/after 30 August 2020)

(G) Elemental Analysis (Combustion or Fusion)

(G2) Hydrogen

(G3) Nitrogen

(G4) Oxygen

Specify the Alloy Base for Accreditation

Ti Base

AC7101/3 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Mechanical Testing (to be used on audits on/after 4 December 2016)

(A) Room Temperature Tensile

(B) Elevated Temperature Tensile

(C) Stress Rupture

(N) Impact

(O) High Cycle Fatigue

(P) Fracture Toughness

(XA) Creep

(Y) Low Cycle Fatigue

AC7101/4 Rev F - Nadcap Audit Criteria for Materials Testing Laboratories – Metallography and Microindentation Hardness (to be used on/after 14 August, 2016)

(L0) Metallographic Evaluation

- (L1) Microindentation (Interior)
- (L10) Near Surface Examinations – Carburization / Decarburization
- (L11) Grain Size
- (L12) Inclusion Rating
- (L5) Near Surface Examinations – Microindentation (Surface–Case Depth)
- (L7) Near Surface Examinations – IGA, IGO
- (L8) Near Surface Examinations – Alpha Case: Wrought Titanium
- (L9) Near Surface Examinations – Alpha Case: Cast Titanium
- (XL) Macro Examination

AC7101/5 Rev E - Nadcap Audit Criteria for Materials Testing Laboratories – Hardness Testing (Macro) (to be used on audits on/AFTER 07-May-2023)

- (M1) Brinell Hardness
- (M2) Rockwell Hardness
- (M3) Vickers Hardness

AC7101/7 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Mechanical Testing Specimen Preparation (to be used on audits on/after 15 May 2016)

- (Z) Standard Specimen Machining
- (Z1) Low Stress Grinding
- (Z2) Low Stress Grinding and Polishing

AC7101/9 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Specimen Heat Treating (to be used on audits on/AFTER 07-Sep-2025)

AC7101/14 Rev NA - Nadcap Audit Criteria for Materials Testing Laboratories – Proficiency Testing and Internal Round Robin Requirements for ALL Laboratories (to be used on audits on/AFTER 10-Dec-2023)

AC7110/13 Rev C - Nadcap Audit Criteria for Evaluation of Welds (to be used on audits on/AFTER 05-May-2024)

NOTE: IF YOU ARE SELECTING THE AC7110/13 CHECKLIST YOU MUST ALSO SELECT AC7101/4 – Nadcap Audit Criteria for Materials Testing Laboratories – Metallography and Microhardness. You must also select AC7110/13S

Supplement A – Metallurgical Evaluation of Welder / Welding Operator Qualifications (identify if this process is used)

Supplement B – Metallurgical Evaluation of Fusion Welds (identify if this process is used)

AC7110/13S Rev E - Nadcap Supplemental Audit Criteria for Evaluation of Welds (to be used on audits on/AFTER 13-Aug-2023)

U0 User Unknown

ISO/IEC - Currently accredited by an ILAC approved source

Lab Type - Lab Type

Independent

Uncontrolled If Printed