

\*\*\*\*\*This document contains no technical data subject to the ITAR or the EAR.\*\*\*\*\*

## INITIAL SURVEY ADDITIONS

PAGE: 1 OF 1

SUPPLIER: ELEMENT MATERIALS TECHNOLOGY  
TRADE NAME: ELEMENT HUNTINGTON BEACH  
ADDRESS: 15062 BOLSA CHICA ST  
COUNTRY: US  
CONTACT: JENNIFER KENT  
  
TITLE: QUALITY AASURANCE MANAGER  
E-MAIL: Jennifer.Kent@Element.com  
SURVEYOR: JOHN MERRITT

LM CODE: LM0022563  
SAC CODE: SP2098  
  
FLIGHT SAFETY: YES ☐ NO ☒  
PHONE: (714) 892-1961  
CELL: \_\_\_\_\_  
FAX: \_\_\_\_\_  
  
SURVEY DATE: 11/25/2020

| SPECIAL PROCESS SURVEYS/ASSESSMENTS:                                    |                                    | DISPOSITION CODE: |   |   |   | REMARKS FIELD:            |
|-------------------------------------------------------------------------|------------------------------------|-------------------|---|---|---|---------------------------|
| CODE:                                                                   | SPECIFICATION:                     | A                 | C | W | D | (SEE SURVEY INSTRUCTIONS) |
| LAB 1                                                                   | ASTM-E-8                           | X                 |   |   |   | 5, 7, 8 INCLUDE SUBSIZE   |
| LAB 3                                                                   | ASTM-E-882, ASTM-E-743, ASTM-E-851 | X                 |   |   |   | 7, 8 LECO, AA, OES, ICP   |
| LAB 5                                                                   | ASTM-E-3 (Including Titanium)      | X                 |   |   |   | 7, 8 INCLUDE TITANIUM     |
| LAB 7                                                                   | ASTM-E-10, ASTM-E-18, ASTM-E-384   | X                 |   |   |   | 5, 7, 8                   |
| Note: Initial Survey of LAB 3 & to Add Titanium to Lab 5 approval scope |                                    |                   |   |   |   |                           |
|                                                                         |                                    |                   |   |   |   |                           |
|                                                                         |                                    |                   |   |   |   |                           |
|                                                                         |                                    |                   |   |   |   |                           |
|                                                                         |                                    |                   |   |   |   |                           |
|                                                                         |                                    |                   |   |   |   |                           |
|                                                                         |                                    |                   |   |   |   |                           |
|                                                                         |                                    |                   |   |   |   |                           |

DISPOSITION CODES: A = APPROVED, C = CONDITIONAL APPROVAL, W = WITHHELD, D = DISAPPROVED

### REMARK CODES:

- INTERNAL MANUFACTURE USE ONLY
- APPROVAL OF FACILITIES ONLY - A WRITTEN PROCEDURE FOR EACH PART NUMBER MUST BE APPROVED.
- INTERPRETATION OF INDICATIONS IN ACCORDANCE WITH SS8802, SS8805, OR SS8806
- 4A - LACK OF ACTIVITY, 4B - PROCESS NO LONGER PERFORMED, 4C - QUALITY PROBLEM
- NOT SURVEYED AT THIS TIME, CONTINUED APPROVAL BASED ON 4/10/2020 Survey
- PROCESS APPROVAL BY EXCEPTION, EXPLANATION/SQM AUTHORIZATION INCLUDED IN SURVEY PACKAGE (brief description)
- SURVEY SUPPORTED OR APPROVED BY A NADCAP CONTRACTUALLY RECOGNIZED EQUIVALENT Element holds A2LA ISO 17025 Certification in Mechanical & Chemical Testing as well as Nadcap MTL Cert.
- SURVEY SUPPORTED OR APPROVED BY NADCAP CERTIFICATION(s): 3658183899 MTL
- (Other / Comments)

APPROVED UNITS (e.g. FURNACES, TANKS, ETC.): Equipment Listing Provided

RESPONSIBLE NDT LEVEL 3: N/A

### PRODUCT/PROCESS CONFORMITY ASSESSMENTS/SURVEYS:

### DISPOSITION CODE:

TYPE:  
(CHECK BELOW AS APPLICABLE)  
☐ INITIAL SSQR-01 ASSESSMENT: (CHECK GROUP BELOW)  
☐ GROUP 1 FS PRODUCT/PROCESS CONFORMITY SURVEY  
☐ GROUP 1 PRODUCT/PROCESS CONFORMITY SURVEY  
☐ GROUP 2 PRODUCT/PROCESS CONFORMITY SURVEY  
☒ OTHER: Desk-Survey

| A | C | W | D |
|---|---|---|---|
|   |   |   |   |
|   |   |   |   |
|   |   |   |   |
|   |   |   |   |
| X |   |   |   |

Approval is electronic in P2P Survey Management System

SQFR Signature & Date if Form Requested & Released:

(Not Required, Only When Provided Upon Request)

12/21/2020

**From:** [Sami Syammach](#)  
**To:** [Jerahmey Cunningham](#); [Jessie Valverde](#); [Chheang Sun](#); [Cong Lam](#)  
**Cc:** [Kevin Knight](#); [Daniel Meza Bohon](#); [Hugo Velez](#)  
**Subject:** RE: 4400072558 (21022199)  
**Date:** Wednesday, January 20, 2021 11:53:45 AM  
**Attachments:** [image001.png](#)  
[SSQR-01 Rev. 5.pdf](#)  
[Sikorsky M&P Index.pdf](#)  
[Element Huntington Sikorsky Testing Approval.pdf](#)

---

Jerahmey,

Cong and I just had a call with Sikorsky regarding the fracture toughness approval status of Element. We were told by Sikorsky that Fracture Toughness testing is not a special process and that NADCAP approval is sufficient for Element to perform this test. They then pointed us to the Specifications that detail this. I have attached SSQR-01 Rev. 5, where at section 14.0 it states that special processes that require Sikorsky approval are listed as a "Q" in the M&P index. I have also attached the M&P index where if you check page 195 for ASTM E 399, you can see that it is not listed as "Q" which means that only NADCAP approval with the attached general Sikorsky lab approval is required to perform fracture toughness testing to ASTM E 399. This is the information that Sikorsky provided to us, and I hope that is sufficient to show that no special approval is required for this test. We should be able to proceed with the testing given this information. I wish that they would have just sent a short email confirmation saying yes you are good, but this is how they instructed us on how to check. Let me know if you see any issues, or still have concerns starting the testing.

Given this information would you be able to provide an estimate to when the toughness testing would be able to be performed and completed?

Thanks,

**Sami Syammach**  
**Product Metallurgist**



**Weber Metals, Inc.**  
16706 Garfield Avenue Paramount  
California 90723  
USA  
Tel: +1 (562) 602-0260 ext. 398  
[SamiSyammach@WeberMetals.com](mailto:SamiSyammach@WeberMetals.com)  
[www.webermetals.com](http://www.webermetals.com)

---

**From:** Jerahmey Cunningham <[jerahmey.cunningham@element.com](mailto:jerahmey.cunningham@element.com)>  
**Sent:** Tuesday, January 19, 2021 8:58 AM  
**To:** Sami Syammach <[SamiSyammach@WeberMetals.com](mailto:SamiSyammach@WeberMetals.com)>; Jessie Valverde <[jessievalverde@WeberMetals.com](mailto:jessievalverde@WeberMetals.com)>; Chheang Sun <[ChheangSun@WeberMetals.com](mailto:ChheangSun@WeberMetals.com)>  
**Cc:** Kevin Knight <[KevinKnight@WeberMetals.com](mailto:KevinKnight@WeberMetals.com)>; Daniel Meza Bohon <[danielmeza@WeberMetals.com](mailto:danielmeza@WeberMetals.com)>; Hugo Velez <[HugoVelez@WeberMetals.com](mailto:HugoVelez@WeberMetals.com)>  
**Subject:** RE: 4400072558 (21022199)

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Sami,

Thank you for the updated information below. We are releasing the order for cutting today and will have the fatigue blanks cut and returned to Weber by Thursday. We will push to have the tensile and macro/micro completed by Friday.

Please keep me posted on how we should proceed with the fracture toughness. For now we will just cut the fracture toughness blank and hold for your instructions.

Thanks,

---

**From:** Sami Syammach [<mailto:SamiSyammach@WeberMetals.com>]  
**Sent:** Tuesday, January 19, 2021 7:41 AM  
**To:** Jerahmey Cunningham <[jerahmey.cunningham@element.com](mailto:jerahmey.cunningham@element.com)>; Jessie Valverde <[jessievalverde@WeberMetals.com](mailto:jessievalverde@WeberMetals.com)>; Chheang Sun <[ChheangSun@WeberMetals.com](mailto:ChheangSun@WeberMetals.com)>  
**Cc:** Kevin Knight <[KevinKnight@WeberMetals.com](mailto:KevinKnight@WeberMetals.com)>; Daniel Meza Bohon <[danielmeza@WeberMetals.com](mailto:danielmeza@WeberMetals.com)>; Hugo Velez <[HugoVelez@WeberMetals.com](mailto:HugoVelez@WeberMetals.com)>  
**Subject:** RE: 4400072558 (21022199)  
**Importance:** High

Good Morning Jerahmey,

Any chance to get an update on below request? In addition, can we get an ECD for the below, even if the testing being piecemealed. I really appreciate any help Element can provide with this request.

1. Fatigue Blanks
2. T9/T10 Tensiles
3. Balance of Tensiles
4. Macros/micros
5. Toughness

Thanks,

**Sami Syammach**  
Product Metallurgist



**Weber Metals, Inc.**  
16706 Garfield Avenue Paramount  
California 90723  
USA  
Tel: +1 (562) 602-0260 ext. 398  
[SamiSyammach@WeberMetals.com](mailto:SamiSyammach@WeberMetals.com)  
[www.webermetals.com](http://www.webermetals.com)

---

**From:** Sami Syammach  
**Sent:** Monday, January 18, 2021 5:27 PM  
**To:** Jerahmey Cunningham <[jerahmey.cunningham@element.com](mailto:jerahmey.cunningham@element.com)>; Jessie Valverde <[jessievalverde@webermetals.com](mailto:jessievalverde@webermetals.com)>  
**Cc:** Kevin Knight <[KevinKnight@webermetals.com](mailto:KevinKnight@webermetals.com)>; Daniel Meza Bohon <[DanielMeza@webermetals.com](mailto:DanielMeza@webermetals.com)>; Hugo Velez <[HugoVelez@webermetals.com](mailto:HugoVelez@webermetals.com)>  
**Subject:** RE: 4400072558 (21022199)

Jerahmey,

Sorry for all the confusion on these. It looks like we are still waiting on clarification from Sikorsky, but Weber's interpretation is that the NADCAP and overall Sikorsky approval for this is sufficient since there is no Sikorsky Special Process Code for fracture toughness. Unfortunately, these have become a big topic with the schedule being in jeopardy of falling behind. Based on this, can you proceed with the rest of the testing for this order? While we are waiting on a response, can you perform the fracture toughness and list as for information only? If Sikorsky agrees with our interpretation, we could have it updated and allow you to certify. If possible, can we get the fatigue blanks cut and shipped back to Weber as soon as possible. Additionally the T9 and T10 tensile specimens are of particular interest, so any help in getting preliminary data for them ahead of the rest of the testing would be great. Let me know if that is acceptable.

| SPECIAL PROCESS CODES |            |            |                                       |                                              |
|-----------------------|------------|------------|---------------------------------------|----------------------------------------------|
| PROCESS CATEGORY      | SIK CODE   | LMP2P CODE | PROCESS NAME                          | SPECIFICATION                                |
|                       | *HT1       | HTBS120000 | Titanium                              | AMS 2801, AMS-H-81200                        |
|                       | *HX        | HTBS277400 | Nickel & Cobalt Alloys                | AMS 2774                                     |
|                       | *TT        | HTBM840700 | Stress/Embrittlement Relief Bake etc. | SS8407 (NOTE: G, N)                          |
| LABORATORY TESTING    | *LAB 1     | SQBB000800 | Tensile                               | ASTM-E-8                                     |
|                       | *LAB 3     | SQBB054800 | Chemical                              | ASTM-E-882, ASTM-E-743, ASTM-E-851           |
|                       | *LAB 5     | SQBB000300 | Metallographic                        | ASTM-E-3 (Including Titanium)                |
|                       | *LAB 7     | SQBB001000 | Hardness                              | ASTM-E-10, ASTM-E-18, ASTM-E-384             |
|                       | *LAB 7 (C) | SQBB001001 | Hardness (Critical)                   | ASTM-E-18, SS9211                            |
|                       | *LAB 8     | SQBD153700 | Conductivity                          | MIL-STD-1537, SS8810, AMS 2658               |
|                       | *LAB 9     | BNBM860100 | Composite Testing                     | Per drawing and/or applicable specifications |
|                       | LAB 10     | NGBM337900 | Approved Testing/Laboratory Facility  | QATI 3379                                    |

Thanks,

**Sami Syammach**  
**Product Metallurgist**



**Weber Metals, Inc.**

16706 Garfield Avenue Paramount  
California 90723  
USA

Tel: +1 (562) 602-0260 ext. 398

[SamiSyammach@WeberMetals.com](mailto:SamiSyammach@WeberMetals.com)

[www.webermetals.com](http://www.webermetals.com)

---

**From:** Jerahmey Cunningham <[jerahmey.cunningham@element.com](mailto:jerahmey.cunningham@element.com)>

**Sent:** Monday, January 18, 2021 4:27 PM

**To:** Jessie Valverde <[jessievalverde@WeberMetals.com](mailto:jessievalverde@WeberMetals.com)>; Blake Gaspar <[BlakeGaspar@WeberMetals.com](mailto:BlakeGaspar@WeberMetals.com)>

**Cc:** Sami Syammach <[SamiSyammach@WeberMetals.com](mailto:SamiSyammach@WeberMetals.com)>; Kevin Knight <[KevinKnight@WeberMetals.com](mailto:KevinKnight@WeberMetals.com)>; Daniel Meza Bohon <[danielmeza@WeberMetals.com](mailto:danielmeza@WeberMetals.com)>; Hugo Velez <[HugoVelez@WeberMetals.com](mailto:HugoVelez@WeberMetals.com)>

**Subject:** RE: 4400072558 (21022199)

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Jessie,

I have this order on hold regarding our Sikorsky approval to perform the fracture toughness testing. Blake reached out to his contact at Sikorsky. Do you want us to start cutting on this order so we can extract the fatigue blank?

Thanks,

---

**From:** Jessie Valverde [<mailto:jessievalverde@WeberMetals.com>]

**Sent:** Monday, January 18, 2021 4:17 PM

**To:** Jerahmey Cunningham <[jerahmey.cunningham@element.com](mailto:jerahmey.cunningham@element.com)>

**Cc:** Sami Syammach <[SamiSyammach@WeberMetals.com](mailto:SamiSyammach@WeberMetals.com)>; Kevin Knight <[KevinKnight@WeberMetals.com](mailto:KevinKnight@WeberMetals.com)>; Daniel Meza Bohon <[danielmeza@WeberMetals.com](mailto:danielmeza@WeberMetals.com)>; Hugo Velez <[HugoVelez@WeberMetals.com](mailto:HugoVelez@WeberMetals.com)>

**Subject:** 4400072558 (21022199)

**Importance:** High

**CAUTION:** This email originated from outside of Element Materials Technology. **DO NOT** click links or open attachments unless you recognize the sender and know the content is safe. Please contact IT Service Desk if you are in any doubt about this email.

Good afternoon Jerahmey,

Regarding PO 4400072558, do you know when we can expect the Fatigue Blanks delivered to Weber? It would really help us a lot if we could get it this week.

Regards,

**Jessie Valverde**



**Weber Metals, Inc.**

16706 Garfield Avenue  
Paramount, CA 90723  
USA

Tel: +1 (562) 602-0260 ext. 428

[jessievalverde@WeberMetals.com](mailto:jessievalverde@WeberMetals.com)

[www.webermetals.com](http://www.webermetals.com)

**Disclaimer:**

The information contained in this e-mail and any attachments from Weber Metals may contain confidential and/or proprietary information, and is intended only for the named recipient to whom it was originally addressed. If you are not the intended recipient, any disclosure, distribution, or copying of this e-mail or its attachments is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately by return e-mail and permanently delete the e-mail and any attachments.

#### Disclaimer

This email is sent on behalf of Element Materials Technology Group Limited or the relevant group company with which you are dealing (together, **Element**). Element Materials Technology Group Limited is a limited company registered in England and Wales with registered number 09915743. Its registered office is at 5 Fleet Place, London, England, United Kingdom, EC4M 7RD and its principal place of business is at 10 Lower Grosvenor Place, London, England, United Kingdom, SW1W 0EN.

Element cannot accept responsibility for any loss or damage sustained as a result of viruses or malware and the recipient must ensure that the email and attachments are virus and malware free. Emails and attachments are opened at your own risk.

The information transferred is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Transmission of this email is not intended to waive confidentiality and/or privilege.

The contents of this email are subject to contract and do not contain an offer that is capable of acceptance. Unless otherwise agreed in writing with you, the Element Standard Terms of Business for the relevant group company apply in respect of any services provided to you, including advice given to you by email. The Standard Terms of Business are available on request and can be found at <https://www.element.com/terms/terms-and-conditions>

For information about how we process data and monitor communications please see our Privacy statement at <https://www.element.com/terms/privacy-statement>

#### Disclaimer:

The information contained in this e-mail and any attachments from Weber Metals may contain confidential and/or proprietary information, and is intended only for the named recipient to whom it was originally addressed. If you are not the intended recipient, any disclosure, distribution, or copying of this e-mail or its attachments is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately by return e-mail and permanently delete the e-mail and any attachments.

[Weber Metals](#)

#### Disclaimer:

The information contained in this e-mail and any attachments from Weber Metals may contain confidential and/or proprietary information, and is intended only for the named recipient to whom it was originally addressed. If you are not the intended recipient, any disclosure, distribution, or copying of this e-mail or its attachments is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately by return e-mail and permanently delete the e-mail and any attachments.

[Weber Metals](#)